Prestige Bi-fold survey sheet Garrard Windows Ltd, 1-3 Harvington Park, Pitstone, LU7 9GX |


01296 668899


Dimensions Max 6500 (w) x 2600mm (h)							Trestige
Width (mm) Height (mm) including cill if required							BI-FOLDING DOOR
Configuration (When viewed from outside)							To order or request a quote for a Prestige Bi-fold please fill in this form and email back to aluminium@garrardwindows.co.uk
					Openir Inwards Outward Sash st	ds	QUOTE ORDER D Job details Name
Total number of sashes				Number of sashes		porary	Reference
Threshold *Cill				Glazing	Stepped		Contact number Contact email
Integral Cill	☐ No C	ill			1.4 U-value		Delivery address for these items
Low Threshold	Stub	101mm		36mm TG	1.1 U-value		Derivery address for these items
with Ramp	Stan	dard 166m	m 🔲		1.0 U-value		
Std Outerframe*	Larg	e 191mm		Contempor			
Low Threshold*			'		Still tick which		
Sash and Frame Co		xt	nt	glazing unit	s you will use		Preferred delivery date
Pure White 9010 Mat] [-	\dashv		configurations	ed 011	
Anthracite Grey 7016				Main door hardware			Notes
Jet Black 9005 Matt] [_		er VBH handle		
Cream 9001 Matt				3* Cylinde F&F Balmora			
Agate Grey 7038 Mat	tt [] [Main han	dle finish		
Squirrel Grey 7000 M	1att [] [Your details
Pastel Turquoise 603 Matt	34] [options: White, Bl		Name
Chocolate Brown 80	017			Gold, Chrom	e		Company
Matt		7		SEE PAGE 3	FOR MORE HAN	IDLE OPTIO	Contact number
Silver Metallic Effect Mid Bronze Metallic] L			oor handle posied on certain styles		Contact email
Black Metallic Effect] 		Viewed from			Address
Bespoke	Ī			Left	Right [
Subject to minimum order q Price on application	ty.			Intermed	iate door hardv	vare	
Options		Locking					
Trickle vents 45mm frai 2 x vents split equally as stand		Non Lock	ing				
Head drip				External access required 2/2/0, 4/2/2, 4/4/0, 6/6/0 only			Signature
Security Interlock app	ain styles						
Frame Extensions (When viewed from outside) Top Left Right							
25mm							
45mm							
	_ 						








Threshold options













Finger pull locking on passive doors



F&F Balmoral



VBH handle

At a glance

- Up to 7 panes Including 4/2/2 configurations
- Single and French door options
- Max 6.5 x 2.6m
- Max 1.2m sash width
- Max 120kg sashes
- 80mm deep outer frame
- 72mm deep sashes
- Slim 138mm sash to sash sightlines standard across all styles
- Up to 44mm triple glazing 36mm on stepped sashes



HANDLE OPTIONS

BRUSHED STAINLESS STEEL VBH HANDLE WITH SEPARATE ESCUTCHEON []



BRUSHED STEEL HOPPE ATLANTA []



REGAL MONKEY TAIL & PEAR DROP



FINISHES:

PVD GOLD [] ANTIQUE BRONZE [] BRUSHED COPPER [] BLACK [] SATIN CHROME []

POLISHED CHROME [] ROSE GOLD [] PEWTER PATINA [] GRAPHITE []

(BROCHURE AVAILABLE ON REQUEST)

